AMITRAZ 25% BIOVET

AGAINST TICKS, SCABIES AND LICE

VETERINARY USE

FORMULA

Each 100 mL contains:

Amitraz .... 25.00 g

Vehicle q.s. .... 100.00 mL

INDICATIONS:

Bovine: acaricides to combat *Boophilus microplus.*
Ovine: against scabies to combat psoroptic scabies *(Psoroptes ovis)* and lice *(Melophagus ovinus).*
Swine: against scabies to combat sarcoptic scabies *(Sarcoptes scabiei var. suis)* and flea medicine and lice *(Haematopinus suis).*

ROUTE OF ADMINISTRATION AND HOW TO USE:

FOR EXTERNAL USE ONLY
Dilute AMITRAZ 25% BIOVET in water, in the recommended dosages and homogenize well. The dilution must be prepared at the moment of use.
When use manual or motorized spray, jet pressure shall be regulated in order to penetrate the product under the animal furs.

DOSAGE:

Bovine: dilute 1 mL of AMITRAZ 25% BIOVET in 1 liter of water.
Example: 1 liter of AMITRAZ 25% BIOVET in 1,000 liters of water. Use at least 5 liters of syrup per adult bovine.
Ovine: dilute 2 mL of AMITRAZ 25% BIOVET in 1 liter of water.
Example: 2 liters of AMITRAZ 25% BIOVET in 1,000 liters of water. Discard the rest of the syrup after using it.
Swine: dilute 2 mL of AMITRAZ 25% BIOVET in 1 liter of water. Example: 2 liters of AMITRAZ 25% BIOVET in 1,000 liters of water.

CONTRAINDICATIONS:

Do not use on horses and dogs.

PRECAUTIONS:

Do not treat tired animals and pregnant female.
Avoid treating animals during the hottest hours or rain.
Use security equipment (glasses, masks, protective gloves, protective coveralls and boots) to apply the product. Avoid inhaling the product.
Avoid product contact with any part of the human body. In case of contact, immediately wash the parts with water and soap.
Wash hands and skin exposed to the product after handling it.
Handle the product, make dilutions and treat the animals in open places.
Do not apply the product in the opposite wind direction in order to avoid the aspiration of pulverized particles.
Do not eat, drink or smoke during the product application.
Do not keep or apply close to food, beverages, medicines, hygiene and home care products. Do not reuse empty packaging.
Do not throw wastes of solution in streams, rivers or lakes.
In case of ingestion of product, consult a doctor immediately showing its label or package insert.

EXPIRY DATE:
02 years after manufacturing date.

PRESENTATION:
Vials containing 20 mL, 250 mL, and 1L.

> "ATTENTION – COMPLY WITH THE FOLLOWING GRACE PERIODS":
>
> BOVINE, OVINE AND SWINE: SLAUGHTER - SLAUGHTER OF ANIMALS TREATED WITH THIS PRODUCT, SOULD BE MADE ONLY AFTER 14 DAYS OF ITS LAST APPLICATION. MILK – MILK FROM ANIMALS TREATED WITH THIS PRODUCT, SHOULD NOT BE DESTINED TO HUMAM CONSUMPTION UNTIL 24 HOURS AFTER LAST APPLICATION OF THIS PRODUCT.

THE USE OF THIS PRODUCT UNDER DIFFERENT CONDITIONS OF THE CONDITIONS INDICATED IN THIS PACKAGE INSERT MAY CAUSE THE PRESENCE OF WASTES OF PRODUCT ABOVE THE LIMITS APPROVED, TURNING THE FOOD OF ANIMAL ORIGIN IMPROPER TO CONSUME.

SALE UNDER PACKAGE INSERT AND ADMINISTRATION WITH THE ORIENTATION OF THE VETERINARIAN

Conserve the product at room temperature in a cool and dry place, away from sunlight, out of reach of children and pets.

Antidote: There is no specific antidote. Amitraz when absorbed by the organism causes depression of central nervous system, being necessary the administration of symptomatic analeptic treatment.

Licensed in the Ministério da Agricultura, Pecuária e Abastecimento under N° 8.641/03 on 07/14/2003

Responsible Veterinarian:
Dr. Antonio Roberto A. Corrêa
CRMV/SP (Veterinary Medicine Regional Council – São Paulo State) nº1431

Owner:
Laboratório Bio-Vet S/A
R. Cel. José Nunes dos Santos, 639
06730-000 - Vargem Grande Paulista-SP
CNPJ (Brazilian Registry of Legal Entities) 60.411.527/0001-30
BRAZILIAN INDUSTRY

Manufacturer:
Jofadel Indústria Farmacêutica S/A
Av. Dr. José da Frota Vasconcelos, 100
37062-500 - Varginha-MG
CNPJ (Brazilian Registry of Legal Entities) 17.843.582/0001-70
BRAZILIAN INDUSTRY